

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

0216-2
F. M. Crayton & Sons
ASHEVILLE, (Biltmore Station) N. C.

Box 5024


**NATIVE HARDY TREES, SHRUBS
PERENNIALS AND FERNS**

Good Strong Plants — 1943-1944

Ready for Landscape
and Nursery Planting

**"GIVE US A TRIAL ORDER"
"WE CAN PLEASE YOU"**

For



TWO LISTS ENCLOSED

If you wish you can mark the quantity of plants you wish and return the list.

Yours truly

TREES AND SHRUBS

| | | per 10 | per 100 |
|------------------------------|----------|---------|---------|
| Acer leucoderme | 1-3 ft. | \$ 1.00 | \$ 8.00 |
| Acer Pennsylvanicum | 1-3 ft. | 1.00 | 8.00 |
| Acer Rubrum | 1-3 ft. | 1.00 | 8.00 |
| Aesculus octandra | 1-3 ft. | 1.00 | 8.00 |
| Aesculus pavia | 1-3 ft. | 1.00 | 10.00 |
| Aesculus parviflora | 1-2 ft. | 2.50 | 20.00 |
| Amelanchier Candensis | 1-3 ft. | 1.00 | 5.00 |
| Amelanchier Botryapium | 1-3 ft. | 1.00 | 5.00 |
| Amelanchier spicata | 1-3 ft. | 1.00 | 15.00 |
| Amorpha fruticosa | 1-3 ft. | 1.00 | 10.00 |
| Amorpha Tennesseeensis | 1-3 ft. | 1.00 | 10.00 |
| Aristolochia siphon | 1-2 ft. | 1.00 | 10.00 |
| Aronia arborescens | 1-3 ft. | 1.00 | 8.00 |
| Azalea Alabamensis | 1-3 ft. | 15.00 | 100.00 |
| Azalea arborescens | 1-2 ft. | 10.00 | 75.00 |
| Azalea arborescens | 2-5 ft. | 15.00 | 100.00 |
| Azalea Atlantica | 1-2 ft. | 10.00 | 75.00 |
| Azalea austrina | 2-3 ft. | 20.00 | 150.00 |
| Azalea Bakerii | 2-4 ft. | 20.00 | 125.00 |
| Azalea calindulacea | 1-2 ft. | 10.00 | 75.00 |
| Azalea calindulacea | 2-4 ft. | 15.00 | 100.00 |
| Azalea canescens | 2-3 ft. | 10.00 | 75.00 |
| Azalea Prunifolia | 2-4 ft. | 50.00 | 400.00 |
| Azalea Rosea | 2-4 ft. | 15.00 | 125.00 |
| Azalea serrulata | 2-4 ft. | 20.00 | 125.00 |
| Azalea speciosa | 2-4 ft. | 20.00 | 100.00 |
| Azalea Vaseyii | 2-4 ft. | 20.00 | 100.00 |
| Azalea viscosa | 1-2 ft. | 10.00 | 75.00 |
| Azalea Ferbsii | 2-3 ft. | 20.00 | 150.00 |
| Azalea oblongifolia | 1-2 ft. | 20.00 | 150.00 |
| Benzion Benzion | 1-3 ft. | 1.00 | 8.00 |
| Betula lenta | 1-3 ft. | 1.00 | 8.00 |
| Betula nigra | 1-3 ft. | 1.00 | 8.00 |
| Betula lutea | 1-3 ft. | 1.00 | 8.00 |
| Calicanthis Floridus | 1-3 ft. | 1.00 | 8.00 |
| Carpinus Caroliniana | 1-3 ft. | 1.00 | 8.00 |
| Ceanothus Americanum | 1-2 ft. | 1.00 | 8.00 |
| Cercis Canadensis | 1-2 ft. | 1.00 | 8.00 |
| Chionanthus Virginica | 2-4 ft. | 1.25 | 15.00 |
| Clethra acuminata | 1-3 ft. | 1.00 | 8.00 |
| Clethra alnifolia | 1-3 ft. | 1.00 | 8.00 |
| Cornus florida | 1-3 ft. | 1.00 | 8.00 |
| Comptonia perengrina | 1-2 ft. | 1.00 | 8.00 |
| Corylus Americana | 1-2 ft. | 1.00 | 8.00 |
| Corylus rostrata | 1-2 ft. | 1.00 | 8.00 |
| Cyrilla racemiflora | 1-3 ft. | 1.00 | 10.00 |
| Decumaria barbara | 2 yr. | 1.00 | 10.00 |
| Dendran Bucifolia | 6-12 in. | 5.00 | 50.00 |
| Dendran Hugerii | 6-12 ft. | 5.00 | 50.00 |
| Dendran prostratum | 6-12 ft. | 5.00 | 50.00 |
| Elliottia racemosa | 2-5 ft. | 15.00 | 100.00 |
| Euonymus Americanus | 1-3 ft. | 1.00 | 8.00 |
| Euonymus obvatus | 1-3 ft. | 1.00 | 8.00 |
| Fagus Americana | 1-3 ft. | 1.00 | 8.00 |
| Fothergilla Carolina | 1-2 ft. | 1.00 | 8.00 |
| Fothergilla major | 1-2 ft. | 1.00 | 8.00 |
| Fothergilla parvifolia | 1-2 ft. | 1.00 | 8.00 |
| Gaultheria procumbens | 1-2 ft. | 1.00 | 8.00 |
| Gaylussacia brachycera | 4-8 in. | 10.00 | 75.00 |
| Gelsemium sempervirens | 2 yr. | 1.00 | 10.00 |
| Halesia Carolinum | 1-3 ft. | 1.00 | 8.00 |
| Hamamelis Virginiana | 1-3 ft. | 1.00 | 8.00 |
| Hydrangea arborescens | 1-3 ft. | 1.00 | 8.00 |
| Hydrangea quercifolia | 1-2 ft. | 1.50 | 10.00 |
| Hydrangea radiata | 1-2 ft. | 1.00 | 8.00 |
| Hypericum anea | 1-2 ft. | 1.00 | 8.00 |
| Hypericum Buckleyi | 4-8 in. | 1.00 | 8.00 |

| | per 10 | per 100 |
|-----------------------------------|--------|---------|
| Hypericum densiflorum ..1-2 ft. | 1.00 | 8.00 |
| Hypericum nudiflorum1-2 ft. | 1.00 | 8.00 |
| Hypericum prolificum1-2 ft. | 1.00 | 8.00 |
| Ilex glabra1-2 ft. | 2.00 | 20.00 |
| Ilex myrtifolia1-2 ft. | 2.00 | 20.00 |
| Ilex opaca1-2 ft. | 2.00 | 20.00 |
| Ilex verticillata1-3 ft. | 2.00 | 20.00 |
| Illicium Floridanum | 2.00 | 20.00 |
| Juniperus Virginiana6-12 in. | 1.00 | 8.00 |
| Kalmia augustifolia1-2 ft. | 10.00 | 75.00 |
| Kalmia latifolia4-8 in. | 1.00 | 8.00 |
| Kalmia latifolia1-2 ft. | 15.00 | 10.00 |
| Kalmia latifolia2-3 ft. | 28.00 | 40.00 |
| Leucothoe axillaris1-2 ft. | 1.00 | 8.00 |
| Leucothoe catesbaei4-8 in. | 1.00 | 8.00 |
| Leucothoe catesbaei1-2 ft. | 1.50 | 15.00 |
| Leucothoe recurva1-3 ft. | 1.00 | 8.00 |
| Liquidamber Styraciflua ..1-2 ft. | 1.00 | 8.00 |
| Lonicera flava2 yr. | 1.00 | 8.00 |
| Lonicera Heckrotti2 yr. | 2.00 | 15.00 |
| Lonicera Japonica2 yr. | 1.00 | 8.00 |
| Lonicera sempervirens2 ft. | 1.00 | 8.00 |
| Magnolia acuminatum1-3 ft. | 1.00 | 8.00 |
| Magnolia Ashei1-3 ft. | 30.00 | 150.00 |
| Magnolia Frazeri1-3 ft. | 10.00 | 50.00 |
| Magnolia macrophylla1-3 ft. | 10.00 | 50.00 |
| Magnolia Tripetta1-3 ft. | 10.00 | 50.00 |
| Myrica Carolinensis6-18 in. | 1.00 | 8.00 |
| Myrica cerifera6-18 in. | 1.00 | 8.00 |
| Myrica pumila6-18 in. | 1.00 | 8.00 |
| Ostrya Virginiana1-2 ft. | 1.00 | 8.00 |
| Oxydendron arboreum ..6-12 in. | 1.00 | 8.00 |
| Oxydendron arboreum ...2-4 ft. | 2.00 | 15.00 |
| Pacystima Canbyi4-8 in. | 2.00 | 15.00 |
| Pieris floribunda3-6 in. | 1.00 | 8.00 |
| Pieris floribunda1-2 ft. | 10.00 | 75.00 |
| Pieris mariana6-18 in. | 1.00 | 8.00 |
| Pieris nitida6-18 in. | 1.00 | 8.00 |
| Rhododendron | | |
| Caroliniana4-8 in. | 1.00 | 8.00 |
| Rhododendron | | |
| Caroliniana2-3 ft. | 20.00 | 125.00 |
| Rhododendron | | |
| Catawbiense3-8 in. | 1.00 | 8.00 |
| Rhododendron | | |
| Catawbiense1-3 ft. | 20.00 | 150.00 |
| Rhododendron Maximum 4-8 in. | 1.00 | 8.00 |
| Rhododendron Maximum 2-3 ft. | 15.00 | 125.00 |
| Rhododendron Minus1-3 ft. | 15.00 | 125.00 |
| Rhus Aromatic a.....1-2 ft. | 1.00 | 8.00 |
| Rhus Copallina1-2 ft. | 1.00 | 8.00 |
| Rhus glabra1-2 ft. | 1.00 | 8.00 |
| Rhus hirta1-2 ft. | 1.00 | 8.00 |
| Rosa Carolina1-2 ft. | 1.00 | 8.00 |
| Rosa hmilis1-2 ft. | 1.00 | 8.00 |
| Rubus odoratus1-2 ft. | 1.00 | 8.00 |
| Salix humilis1-2 ft. | 1.00 | 8.00 |
| Salix Nigra1-2 ft. | 1.00 | 8.00 |
| Salix sericea1-2 ft. | 1.00 | 8.00 |
| Salix tristis1-2 ft. | 1.00 | 8.00 |
| Stuartia pentagynum1-2 ft. | 1.50 | 15.00 |
| Styrax Grandifolia1-3 ft. | 1.50 | 15.00 |
| Tsuga Canadensis4-8 in. | 1.00 | 8.00 |
| Tsuga Canadensis6-18 in. | 1.50 | 10.00 |
| Tsuga Caroliniana3-6 in. | 1.00 | 8.00 |
| Tsuga Caroliniana6-18 in. | 1.50 | 10.00 |
| Vaccainum Crassifolium ..1-2 ft. | 1.50 | 15.00 |
| Viburnum acerifolium ...1-2 ft. | 1.00 | 8.00 |

| | per 10 | per 100 |
|-----------------------------------|--------|---------|
| Viburnum alnifolium1-2 ft. | 1.00 | 8.00 |
| Viburnum cassinoides1-2 ft. | 1.00 | 8.00 |
| Viburnum nudum1-2 ft. | 1.00 | 8.00 |
| Viburnum prunifolium1-2 ft. | 1.00 | 8.00 |
| Viburnum prunifolium3-4 ft. | 1.50 | 10.00 |
| Viburnum | | |
| rufotomentosum1-2 ft. | 1.50 | 10.00 |

HARDY PERENNIALS

| | | |
|----------------------------------|------|-------|
| Aconitum uncinatum | 1.00 | 8.00 |
| Actea alba | 1.50 | 15.00 |
| Aganes Virginica | 1.00 | 8.00 |
| Aletris farinosa | 1.00 | 8.00 |
| Allium Cernuum | 1.00 | 8.00 |
| Amsonia Amsonia | 1.00 | 8.00 |
| Anemone Virginia | 1.00 | 8.00 |
| Aquilegia Canadensis | 1.00 | 8.00 |
| Aquilegia coccinea | 1.50 | 10.00 |
| Arisaema triphyllum | 1.00 | 8.00 |
| Arisaema dracontium | 1.00 | 8.00 |
| Asarum arifolium | 1.00 | 8.00 |
| Asarum Canadense | 1.00 | 8.00 |
| Asarum Virginica | 1.00 | 8.00 |
| Aplectrum spicatum | 1.00 | 8.00 |
| Asclepias incarnata | 1.00 | 8.00 |
| Asclepias tuberosa | 1.00 | 8.00 |
| Aster concolor | 1.00 | 8.00 |
| Aster gracilis | 1.00 | 8.00 |
| Astilbe decandra | 1.00 | 8.00 |
| Baptisia australis | 1.50 | 15.00 |
| Baptisia tinctoria | 1.00 | 8.00 |
| Carex Fraseri | 1.50 | 10.00 |
| Caltha palustris | 1.50 | 10.00 |
| Campanula divaricata | 1.00 | 8.00 |
| Campanula flexuosa | 1.00 | 8.00 |
| Caulophyllum thalictroides | 1.00 | 8.00 |
| Chamaelirum luteum | 1.25 | 10.00 |
| Chelone glabra | 1.00 | 8.00 |
| Chelone Lyonii | 1.00 | 8.00 |
| Chrysogonum Virginianum | 1.50 | 15.00 |
| Clematis viorna | 1.00 | 8.00 |
| Clematis Virginia | 1.00 | 8.00 |
| Clintonia borealis | 1.50 | 10.00 |
| Clintonia umbrellulata | 1.00 | 8.00 |
| Cracca Virginiana | 1.00 | 8.00 |
| Cuthbertia graminea | 1.00 | 8.00 |
| Cuthbertia rosea | 1.00 | 8.00 |
| Cypripedium acaule | 1.25 | 15.00 |
| Cypripedium hirsutum | 2.00 | 15.00 |
| Cypripedium parviflorum | 2.00 | 15.00 |
| Cypripedium spectabilo | 2.50 | 20.00 |
| Delphinium tricornes | 1.25 | 15.00 |
| Dentaria diphylla | 1.00 | 8.00 |
| Dentaria heterophylla | 1.00 | 8.00 |
| Dentaria laciniata | 1.00 | 8.00 |
| Dionaeaceae muscipula | 1.50 | 10.00 |
| Disporum lanuginosum | 1.00 | 8.00 |
| Disporum maculatum | 1.00 | 8.00 |
| Dicentra cucullaria | 1.00 | 8.00 |
| Dicentra Eximia | 1.25 | 15.00 |
| Diphylleia cymosa | 1.25 | 15.00 |
| Dodecatheon meadia | 1.25 | 15.00 |
| Draba ramosissima | 1.25 | 15.00 |
| Epigaea repens | 1.00 | 8.00 |
| Erythrorium Americanum | 1.25 | 10.00 |
| Eupatorium ageratoides | 1.00 | 8.00 |
| Eupatorium purpureum | 1.00 | 8.00 |
| Galax aphylla | 1.00 | 8.00 |

| | per 10 | per 100 |
|----------------------------------|--------|---------|
| Gentiana Andrejsii | 1.50 | 15.00 |
| Gentiana Elliotti | 1.50 | 15.00 |
| Gentiana villosa | 1.50 | 15.00 |
| Geranium maculatum | 1.00 | 8.00 |
| Goodyear pubescens | 1.00 | 8.00 |
| Habenaria ciliaris | 1.50 | 15.00 |
| Habenaria cristata | 1.50 | 15.00 |
| Habenaria grandiflora | 1.50 | 15.00 |
| Hepatica acusta | 1.00 | 8.00 |
| Hepatica triloba | 1.00 | 8.00 |
| Heucher Americana | 1.00 | 8.00 |
| Houstonia coerulea | 1.00 | 8.00 |
| Houstonia montana | 1.00 | 8.00 |
| Houstonia serphyllifolia | 1.00 | 8.00 |
| Hymenocallis Occidentallis | 2.00 | 15.00 |
| Hypoxis hirsutus | 1.00 | 8.00 |
| Iris cristata | 1.00 | 8.00 |
| Iris Verna | 1.00 | 8.00 |
| Iris versicolor | 1.00 | 8.00 |
| Jeffersonia diphylla | 1.25 | 10.00 |
| Liparis liliifolia | 1.25 | 10.00 |
| Lilium Carolinianum | 2.00 | 15.00 |
| Lilium superbum | 2.00 | 15.00 |
| Lobelia cardinalis | 1.25 | 10.00 |
| Lobelia syphilitica | 1.25 | 10.00 |
| Lysimachia nummularia | 1.00 | 8.00 |
| Melanthium latifolium | 1.00 | 8.00 |
| Medeola Virginiana | 1.00 | 8.00 |
| Mertensia Virginica | 2.00 | 15.00 |
| Matchelal repens | 1.00 | 8.00 |
| Mitelal diphylla | 1.25 | 10.00 |
| Monarda fistulosa | 1.00 | 8.00 |
| Monarda didyma | 1.00 | 8.00 |
| Myosotis palustris | 1.00 | 8.00 |
| Oakesia puberula | 1.00 | 8.00 |
| Oakesia sesilifolia | 1.00 | 8.00 |
| Orchis spectabilis | 1.25 | 10.00 |
| Pachysandra procumbens | 1.25 | 10.00 |
| Passiflora incarnata | 1.00 | 8.00 |
| Passiflora lutea | 1.00 | 8.00 |
| Penstemon hirsutus | 1.00 | 8.00 |
| Phlox amoena | 1.00 | 8.00 |
| Phlox Carolina (Ovata) | 1.00 | 8.00 |
| Phlox divaricata | 1.25 | 10.00 |
| Phlox globerrimum | 1.00 | 8.00 |
| Phlox subulata | 1.00 | 8.00 |
| Physostegia Virginiana | 1.00 | 8.00 |
| Podophyllum peltatum | 1.00 | 8.00 |
| Pogonia verticillata | 1.25 | 10.00 |
| Polygonatum biflorum | 1.00 | 8.00 |
| Polygonatum commutatum | 1.00 | 8.00 |
| Porteranthus trifoliatus | 1.00 | 8.00 |
| Pyxidanthera barbulata | 1.25 | 10.00 |
| Pyxidanthera brevifolia | 1.25 | 10.00 |
| Rullia ciliosa | 1.25 | 10.00 |
| Sanguinaria Canadensis | 1.25 | 10.00 |
| Sarracenia flava | 1.25 | 10.00 |
| Sarracenia Purpurea | 1.00 | 10.00 |
| Sarracenia rubrum | 1.00 | 10.00 |
| Saxifraga Michauxii | 1.00 | 8.00 |
| Saxifraga Tennesseeensis | 1.00 | 8.00 |
| Saxifraga Virginiensis | 1.00 | 8.00 |
| Sedum Nevii | 1.25 | 10.00 |
| Sedum Telephioides | 1.00 | 8.00 |
| Sedum ternatum | 1.00 | 8.00 |
| Shortia galacifolia | 1.00 | 10.00 |
| Silena Caroliniana | 1.25 | 10.00 |

| | per 10 | per 100 |
|--|--------|---------|
| <i>Silena stellata</i> | 1.25 | 10.00 |
| <i>Silena Virginica</i> | 1.25 | 10.00 |
| <i>Solidago odora</i> | 1.00 | 8.00 |
| <i>Streptopus amplexifolius</i> | 1.00 | 8.00 |
| <i>Streptopus roseus</i> | 1.00 | 8.00 |
| <i>Thalictrum clavatum</i> | 1.00 | 8.00 |
| <i>Thalictrum dioicum</i> | 1.00 | 8.00 |
| <i>Thalictrum purpurascens</i> | 1.00 | 8.00 |
| <i>Tiarella cordifolia</i> | 1.00 | 8.00 |
| <i>Tradescantia montana</i> | 1.00 | 8.00 |
| <i>Tradescantia Virginiana</i> | 1.00 | 8.00 |
| <i>Trillium erectum</i> | 1.00 | 8.00 |
| <i>Trillium grandiflorum</i> | 1.00 | 8.00 |
| <i>Trillium Hugerii</i> | 1.00 | 8.00 |
| <i>Trillium luteum</i> | 1.25 | 10.00 |
| <i>Trillium sessile</i> | 1.00 | 8.00 |
| <i>Trillium undulatum</i> | 1.50 | 15.00 |
| <i>Trillium nasegi</i> | 1.50 | 15.00 |
| <i>Uvularia grandiflora</i> | 1.00 | 8.00 |
| <i>Uvularia perfoliatum</i> | 1.00 | 8.00 |
| <i>Vagnera racemosa</i> | 1.00 | 8.00 |
| <i>Vagnera stellata</i> | 1.00 | 8.00 |
| <i>Vernonia noveboracensis</i> | 1.25 | 10.00 |
| <i>Veronica officinalis</i> | 1.00 | 8.00 |
| <i>Viola Canadensis</i> | 1.00 | 8.00 |
| <i>Viola pedata</i> | 1.00 | 8.00 |
| <i>Viola pedata bicolor</i> | 1.50 | 15.00 |
| <i>Viola Striata</i> | 1.00 | 8.00 |
| <i>Viola Walteri</i> | 1.25 | 10.00 |
| <i>Xerophyllum asphodeloides</i> | 1.25 | 10.00 |

HARDY FERNS

| | | |
|--|------|-------|
| <i>Adiantum Capillus-Veneris</i> | 1.25 | 15.00 |
| <i>Adiantum pedatum</i> | 1.00 | 8.00 |
| <i>Asplenium angustifolia</i> | 1.00 | 8.00 |
| <i>Asplenium Bradleyi</i> | 2.00 | 15.00 |
| <i>Asplenium Felix-foeminum</i> | 1.00 | 8.00 |
| <i>Asplenium Montanum</i> | 2.00 | 15.00 |
| <i>Asplenium Trichomanes</i> | 1.50 | 10.00 |
| <i>Asplenium angustifolia</i> | 1.00 | 8.00 |
| <i>Botrychium ternatum</i> | 1.00 | 8.00 |
| <i>Botrychium Virginianum</i> | 1.00 | 8.00 |
| <i>Cheilanthes Alabamensis</i> | 2.00 | 15.00 |
| <i>Cheilanthes lanosa</i> | 1.00 | 8.00 |
| <i>Cheilanthes tomentosa</i> | 1.00 | 8.00 |
| <i>Camptosorus rhizophyllus</i> | 2.00 | 15.00 |
| <i>Dennstaedtia punctilobula</i> | 1.00 | 8.00 |
| <i>Dryopteris acrostichoides</i> | 1.00 | 8.00 |
| <i>Dryopteris cristata</i> | 1.50 | 10.00 |
| <i>Dryopteris Filix-mas</i> | 1.00 | 8.00 |
| <i>Dryopteris Goldieana</i> | 1.50 | 10.00 |
| <i>Dryopteris barginalis</i> | 1.00 | 8.00 |
| <i>Dryopteris noveboracensis</i> | 1.00 | 8.00 |
| <i>Dryopteris spinulosa</i> | 1.00 | 8.00 |
| <i>Filix bulbifera</i> | 1.00 | 8.00 |
| <i>Filix fragillis</i> | 1.00 | 8.00 |
| <i>Lygodium palmatum</i> | 1.50 | 15.00 |
| <i>Osmunda cinnamomea</i> | 2.00 | 15.00 |
| <i>Osmunda Claytoniana</i> | 2.00 | 15.00 |
| <i>Osmunda regalis</i> | 2.00 | 15.00 |
| <i>Pellaea atropurpurea</i> | 2.00 | 15.00 |
| <i>Pellaea Glabrata</i> | 2.00 | 15.00 |
| <i>Phegopteris hexagonoptera</i> | 1.00 | 8.00 |
| <i>Polypodium polypodioides</i> | 1.00 | 8.00 |
| <i>Polypodium vulgare</i> | 1.00 | 8.00 |
| <i>Woodsia obtusa</i> | 1.00 | 8.00 |
| <i>Woodwardia Virginica</i> | 1.25 | 10.00 |

